





Thule WingBar Edge 9591/9591B

The most safe and silent roof rack. In low fit for cars with fixpoints or flush rails.

- 1. Thule's premium, aerodynamic rack system
- 2. Smoothly arched for a slim fit
- 3. Universal fit by the use of telescopic feet (50mm/side)
- 4. Easy handling with pre-assembly system and integrated foot
- 5. A kit-based roof rack system. Fit existing Thule Rapid System 753-kit. Use the Thule FitGuide to find out which roof rack fits your car
- 6. Using airplane technology to minimize sound and fuel consumption
- 7. WindDiffuser diverts the air currents
- 8. Trail Edge for reduced air resistance
- 9. Double molded plastic caps for best appearance and easy fitting
- 10. City Crash approved for 75 kg according to ISO Norm

THULE NUMBER EAN CODE ALIAS NUMBER

959100 7313020063805 9591 (Aluminium) 9591B (Black)

959120 7313020070261 **BAR LENGTH MAX LOAD**

81,6 cm 75 kg

CARTON DIMS (LXWXH) CARTON WEIGHT

120x20x13,7 cm 5,2 kg

PALLET DIMS (LXWXH) PALLET WEIGHT **PCS PER PALLET** 120x80x105 cm 32

181 kg













The most safe and silent roof rack. In low fit for cars with fixpoints or flush rails.

- 1. Thule's premium, aerodynamic rack system
- 2. Smoothly arched for a slim fit
- 3. Universal fit by the use of telescopic feet (50mm/side)
- 4. Easy handling with pre-assembly system and integrated foot
- 5. A kit-based roof rack system. Fit existing Thule Rapid System 753-kit. Use the Thule FitGuide to find out which roof rack fits your car
- 6. Using airplane technology to minimize sound and fuel consumption
- 7. WindDiffuser diverts the air currents
- 8. Trail Edge for reduced air resistance
- 9. Double molded plastic caps for best appearance and easy fitting
- 10. City Crash approved for 75 kg according to ISO Norm









THULE NUMBER EAN CODE

959200 7313020063812

959220 7313020070285

BAR LENGTH MAX LOAD 89,6 cm 75 kg

CARTON DIMS (LXWXH) CARTON WEIGHT

120x20x13,7 cm 5.4 ka

PALLET DIMS (LXWXH) PALLET WEIGHT

120x80x105 cm


ALIAS NUMBER

9592 (Aluminium)

9592B (Black)

PCS PER PALLET

32















Thule WingBar Edge 9593/9593B

The most safe and silent roof rack. In low fit for cars with fixpoints or flush rails.

- 1. Thule's premium, aerodynamic rack system
- 2. Smoothly arched for a slim fit
- 3. Universal fit by the use of telescopic feet (50mm/side)
- 4. Easy handling with pre-assembly system and integrated foot
- 5. A kit-based roof rack system. Fit existing Thule Rapid System 753-kit. Use the Thule FitGuide to find out which roof rack fits your car
- 6. Using airplane technology to minimize sound and fuel consumption
- 7. WindDiffuser diverts the air currents
- 8. Trail Edge for reduced air resistance
- 9. Double molded plastic caps for best appearance and easy fitting
- 10. City Crash approved for 75 kg according to ISO Norm

THULE NUMBER EAN CODE

959300 7313020063829

959320 7313020070292

BAR LENGTH MAX LOAD

97,6 cm 75 kg

CARTON DIMS (LXWXH) CARTON WEIGHT 120x20x13,7 cm 5,6 kg

PALLET DIMS (LXWXH) PALLET WEIGHT

120x80x105 cm 194 kg


PCS PER PALLET

ALIAS NUMBER

9593 (Aluminium)

9593B (Black)

32













The most safe and silent roof rack. In low fit for cars with fixpoints or flush rails.

- 1. Thule's premium, aerodynamic rack system
- 2. Smoothly arched for a slim fit
- 3. Universal fit by the use of telescopic feet (50mm/side)
- 4. Easy handling with pre-assembly system and integrated foot
- 5. A kit-based roof rack system. Fit existing Thule Rapid System 753-kit. Use the Thule FitGuide to find out which roof rack fits your car
- 6. Using airplane technology to minimize sound and fuel consumption
- 7. WindDiffuser diverts the air currents
- 8. Trail Edge for reduced air resistance
- 9. Double molded plastic caps for best appearance and easy fitting
- 10. City Crash approved for 75 kg according to ISO Norm



959420 7313020070193

BAR LENGTH MAX LOAD 81,6 & 89,6 cm 75 kg

CARTON DIMS (LXWXH) CARTON WEIGHT

120x20x13,7 cm 5,3 kg

PALLET DIMS (LXWXH) PALLET WEIGHT

120x80x105 cm 185 kg

9594B (Black)

PCS PER PALLET 32













The most safe and silent roof rack. In low fit for cars with fixpoints or flush rails.

- 1. Thule's premium, aerodynamic rack system
- 2. Smoothly arched for a slim fit
- 3. Universal fit by the use of telescopic feet (50mm/side)
- 4. Easy handling with pre-assembly system and integrated foot
- 5. A kit-based roof rack system. Fit existing Thule Rapid System 753-kit. Use the Thule FitGuide to find out which roof rack fits your car
- 6. Using airplane technology to minimize sound and fuel consumption
- 7. WindDiffuser diverts the air currents
- 8. Trail Edge for reduced air resistance
- 9. Double molded plastic caps for best appearance and easy fitting
- 10. City Crash approved for 75 kg according to ISO Norm



HULE	NUMBER	EAN	CODE

959500 7313020063843

959520 7313020070315

BAR LENGTH89,6 & 97,6 cm

MAX LOAD
75 kg

CARTON DIMS (LXWXH) CARTON WEIGHT

120x20x13,7 cm 5,5 kg

PALLET DIMS (LXWXH) PALLET WEIGHT

120x80x105 cm 191 kg

ALIAS NUMBER

9595 (Aluminium)

9595B (Black)

PCS PER PALLET

32

