Report Date : 22/06/2015 Revision Date 22/06/2015

Revision 8

Supersedes date 02/12/2013 v7





# SAFETY DATA SHEET DIESEL INJECTOR CLEANER

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

Product name DIESEL INJECTOR CLEANER

Product No. ADI100, AFI301, CID302, PDI306, QID300, RID300, SDC300

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fuel additive.

# 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899

info@tetrosyl.com TETROSYL LIMITED

> Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899

info@tetrosyl.com

# 1.4. Emergency telephone number

0161 764 5981

Manufacturer

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Not classified.

Hazards

Human health Asp. Tox. 1 - H304 Environment Aquatic Chronic 3 - H412

Classification (1999/45/EEC) Xn;R65. R52/53.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# 2.2. Label elements

Contains DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE -

UNSPECIFIED

Report Date: 22/06/2015 2 / 9

# DIESEL INJECTOR CLEANER

**Detergent Labelling:** 

>= 30% Aliphatic hydrocarbons

Label In Accordance With (EC) No. 1272/2008



Signal Word Danger

**Hazard Statements** 

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

P101 If medical advice is needed, have product container or label

SDS No.

18545

at hand.

P102 Keep out of reach of children.
P273 Avoid release to the environment.

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local

regulations.

# 2.3. Other hazards

This product does not contain any PBT or vPvB substances.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

2-ETHYLHEXANOL 1.0 - <3.0%

CAS-No.: EC No.: 203-234-3

Classification (EC 1272/2008) Classification (67/548/EEC)

Acute Tox. 4 - H332 Xn;R20. Skin Irrit. 2 - H315 Xi;R36/37/38.

Eye Irrit. 2 - H319 STOT SE 3 - H335

2-ETHYLHEXYL NITRATE 3.0 - <5.0%

CAS-No.: EC No.: 248-363-6

Report Date: 22/06/2015 3 / 9

SDS No. 18545

# DIESEL INJECTOR CLEANER

Classification (EC 1272/2008) Classification (67/548/EEC)

EUH044 Xn;R20/21/22. EUH066 N;R51/53. Acute Tox. 4 - H302 R44,R66.

Acute Tox. 4 - H312 Acute Tox. 4 - H332 Aguatic Chronic 2 - H411

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE - UNSPECIFIED

75.0-100%

CAS-No.: 64742-47-8 EC No.: 265-149-8

Classification (EC 1272/2008) Classification (67/548/EEC)

Asp. Tox. 1 - H304 Xn;R65

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

#### General information

Remove affected person from source of contamination. Keep the affected person warm and at rest. Get prompt medical attention.

#### Inhalation

Get medical attention if any discomfort continues. Move injured person into fresh air immediately. Call an ambulance. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Bring these instructions.

## Ingestion

Immediately rinse mouth and drink plenty of water. If person becomes uncomfortable or if ingested in large amounts (100-150 ml for an adult person): Take to hospital along with these instructions.

# Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Get medical attention if irritation persists after washing.

# Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Do not rub eye. Get medical attention promptly if symptoms occur after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

# General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

NOTE! Effects may be delayed. Keep affected person under observation.

#### Inhalation

No specific symptoms noted.

#### Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

#### Skin contact

Skin irritation. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Blistering may occur.

# Eye contact

Irritating and may cause redness and pain. May cause blurred vision and serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

Report Date: 22/06/2015 4 / 9

#### DIESEL INJECTOR CLEANER

SDS No.

18545

**SECTION 5: FIREFIGHTING MEASURES** 

## 5.1. Extinguishing media

Extinguishing media

Use: Foam, carbon dioxide or dry powder. Water. Use fire-extinguishing media appropriate for surrounding materials.

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

No specific precautions due to the small quantities handled.

## 5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Leave danger zone immediately.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. Avoid inhalation of spray mist and contact with skin and eyes.

### 6.2. Environmental precautions

Avoid discharge into water courses or onto the ground. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

#### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Collect with absorbent, non-combustible material into suitable containers.

# 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep upright. Store in tightly closed original container. Keep away from heat, sparks and open flame.

# 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Report Date: 22/06/2015 5 / 9

SDS No.

18545

# DIESEL INJECTOR CLEANER

# 8.2. Exposure controls

Protective equipment





Process conditions

Provide eyewash, quick drench.

Engineering measures

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of spray.

Respiratory equipment

In case of inadequate ventilation use suitable respirator.

Hand protection

Use suitable protective gloves if risk of skin contact. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures

Wash contaminated clothing before reuse. Wash promptly with soap & water if skin becomes contaminated.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Light (or pale). Yellow.

Odour Solvent.

Solubility Insoluble in water

Initial boiling point and boiling 175°C

range (°C)

Melting point (°C) Not determined.

Relative density 0.804 g/cm³ 20°C

Vapour density (air=1)

Not determined.
Vapour pressure
Not determined.
Evaporation rate
Not determined.

Viscosity <50 cP 20

Decomposition temperature (°C)

Not determined.

Odour Threshold, Lower

Not determined.

Odour Threshold, Upper

Not determined.

Flash point (°C) 75°C Auto Ignition Temperature (°C)

Not determined.

Report Date: 22/06/2015 6 / 9 SDS No. 18545

#### DIESEL INJECTOR CLEANER

Flammability Limit - Lower(%)

Not determined.

Flammability Limit - Upper(%)

Not determined.

**Partition Coefficient** 

(N-Octanol/Water)

Not determined.

Oxidising properties

Not available.

# 9.2. Other information

None.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Reacts strongly with alkaline metals and metal powder.

# 10.2. Chemical stability

No particular stability concerns.

# 10.3. Possibility of hazardous reactions

Not applicable.

## 10.4. Conditions to avoid

Avoid exposing to heat and contact with strong oxidising substances.

# 10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances.

## 10.6. Hazardous decomposition products

None under normal conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

Toxic Dose 1 - LD 50

>5000 (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE - UNSPECIFIED) mg/kg (oral rat)

Toxic Conc. - LC 50

5200 (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE – UNSPECIFIED) mg/m3/30h (inh-rat)

Toxicological information

No information available.

## Inhalation

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

**Medical Considerations** 

Risk of chemical pneumonia after aspiration.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Report Date: 22/06/2015 7 / 9

SDS No.

18545

## DIESEL INJECTOR CLEANER

**Ecotoxicity** 

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

# 12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l 2200 (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE -

**UNSPECIFIED**)

# 12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

# 12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

## 12.4. Mobility in soil

Adsorption/Desorption Coefficient

Not available.

# 12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

## 12.6. Other adverse effects

Not applicable.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Confirm disposal procedures with environmental engineer and local regulations.

# **SECTION 14: TRANSPORT INFORMATION**

General The product is not covered by international regulation on the transport of dangerous

goods (IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

**Transport Labels** 

No transport warning sign required.

### 14.4. Packing group

Not applicable.

Report Date: 22/06/2015 8 / 9 SDS No. 18545

#### DIESEL INJECTOR CLEANER

# 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

# **SECTION 16: OTHER INFORMATION**

**Revision Comments** 

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 22/06/2015

Revision 8

Supersedes date 02/12/2013 v7 Safety Data Sheet Status Approved.

Risk Phrases In Full

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R20 Harmful by inhalation.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if swallowed. R36/37/38 Irritating to eyes, respiratory system and skin.

R66 Repeated exposure may cause skin dryness or cracking.

R44 Risk of explosion if heated under confinement.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Report Date: 22/06/2015 9 / 9 SDS No. 18545

# **DIESEL INJECTOR CLEANER**

# Hazard Statements In Full

EUH044 Risk of explosion if heated under confinement.

EUH066 Repeated exposure may cause skin dryness or cracking.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.