

Philips LED Inspection
lamps
3-Pack Multi-Directional
Lighting System

High Quality LED

750 lm Boost/360 lm Eco
3 Rechargeable Modules
More Visible Colour Design

LPL263MODX1



See better, work better

All-in-one lighting system for professionals

The MDLS is an all-in-one work lighting solution representing a new generation of inspection lamps designed for professionals. Robust and hands-free, the three multidirectional modules will provide you with optimal visibility without shadow.

Optimal visibility, no shadow

- Defeat the darkness with soft natural light
- Light output: up to 750 lumens (up to 350 lumens/module)
- High quality LED light
- 3 multi-directional modules – 360° total illumination

High resistance

- Strong impact resistance -IK07
- Water and dust protected -IP54

Hands-free lighting

- 300° rotating head and strong bottom magnet
- Heavy-duty clamping hook
- Fast Rechargeable, Energy saving LifeP04 battery technology

Never lose your lamp again

- Improved colour scheme for easy relocation

PHILIPS

Highlights

Water and dust protected -IP54




The LED inspection lamp is water resistant and conforms to IP54.

Strong impact resistance -IK07



Strong impact resistance -IK07

Fast Rechargeable



Fast Rechargeable, Energy saving LifeP04 battery technology. Since the modules are fast charging, whenever one of the modules is charged and ready for the job, you can take it out directly.

300° rotating head and magnet



The 300° rotating head and strong bottom magnet will enable you to achieve a shadow-free workspace for optimum safety and efficiency.

Heavy-duty clamping hook



With its heavy-duty clamping hook, you will have the possibility of hanging this module on any surface, leaving both your hands free for the job.

Improved colour scheme



Thanks to its new colour scheme, the lamp has an improved visual signature and can be spotted more easily. Never lose your lamp again.

Light output



The combined light output of the 3 modules in normal (boost) mode amounts to 360 (750) lumens. 360 lumens' light output should provide you with sufficient light in any environment with background lighting. If that is not enough you can easily switch to boost mode with a flick of the switch.

High quality LED light

The high-power LED is designed to deliver high-efficacy light with high flux density to enable tight beam control in directional and high-lumen applications.

3 multidirectional modules

The 3 multidirectional modules will provide you with full visibility of your work space with no shadow when you focus on specific parts. When you place each of the 3 different modules at a different angle, no area will remain unlit. 360-degree illumination!

Defeat the darkness

Philips professional workshop lamps feature powerful LEDs for an intense white light and a bright wide beam to defeat the darkness. Designed to optimise clarity and vision, the 6000 K white light also improves visual comfort for fatigue-free working.

Specifications

Outer Carton

- Number of consumer packages: 1
- Outer carton (L x W x H): 33.1 x 15.7 x 14.8 cm
- Gross weight: 2.1 kg
- EAN: 87 27900 39210 4

Ordering information

- Order entry: LPL263MODX1
- Ordering code: 39210466

Electrical characteristics

- Battery capacity: 1800 mAh
- Battery charging time: 2 hrs
- Battery run time: Up to 6 hours
- Battery type: Lithium
- Plug type: EU
- Power source: Rechargeable
- Voltage: 100–240 V
- Wattage: 3.7 W

Light characteristics

- Colour temperature: 6000 K
- LED lifetime: 10,000 hrs
- Light output: 750 lumen

Outer pack information

- Gross weight per piece: 2100 g

- Height: 14.8 cm
- Length: 33.1 cm
- Width: 15.7 cm

Packaging Data

- EAN1: 8727900392104
- EAN3: 8727900392111

Packed product information

- Diameter: 6.5 cm
- Height: 8.7 cm
- Pack Quantity / MOQ: 1
- Weight with batteries: 660 g
- Size: Standard

Product description

- Hook: Heavy-duty clamping hook
- Impact protection rating (IK): IK07
- Ingress protection rating (IP): IP54
- Magnet
- Materials and finishing: Aluminium housing
- Number of LEDs: 3
- Operating Temperature: -20 to 60 °C
- Orientable light: 300° rotating head
- Resistant to: grease, oil, workshop solvents
- Technology: LED
- Range: MDLS



Issue date 2016-12-26

Version: 5.1.2

12 NC: 9237 956 90401
EAN: 87 27900 39210 4

© 2016 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com