



PRODUCT INFORMATION SHEET

BLUECOL 'U' UNIVERSAL TOP-UP ANTIFREEZE

DESCRIPTION

Bluecol 'U' is a universal top-up antifreeze/coolant which is suitable for use in all vehicles, both petrol & diesel, it will mix with all colours of antifreeze already in the radiator/expansion tank, which conform to British Standard 6580. When Bluecol 'U' is added to antifreeze already in the cooling system, the synthetic process and additive package in Bluecol 'U' enhances and revitalizes the qualities of the original antifreeze, providing exceptional all year round protection and performance in all driving conditions. Bluecol 'U' Antifreeze offers superior corrosion resistance over extended service periods, which can also be left in the system as a coolant and inhibitor against rust up to a maximum 5 years.

ADVANTAGES

- Ready Mixed for added convenience
- Freeze protection down to -36°C
- One coolant for all vehicles
- Protects all types of engines
- Excellent compatibility with seals, hoses and plastic components
- Helps prevent winter freezing and summer boil over

PERFORMANCE LEVEL

The concentrate used to make Bluecol 'U' meets or exceeds the requirements of:-

- BS6580: 1992

DIRECTIONS FOR USE

- Whilst engine is cold, remove cap from radiator or expansion tank.
- Check antifreeze level.
- If necessary 'top-up' using Bluecol 'U' Antifreeze to fill level as recommended by the vehicle manufacturer.
- Replace cap.

PROPERTIES

Appearance	Clear Liquid
Colour	Pale Blue
Density @ 20°C	1.074
pH	8.44
Freezing Point (°C)	-36
Boiling Point (°C)	110

AVAILABILITY

1 Litre - BLU001 2 Litre – BLU002

**DISCLAIMER**

This Product Information Sheet does not constitute to any extent a fitness for purpose warranty or a quality specification. It is intended to be indicative only of the general characteristics of the product(s) and may not be relied upon (in whole or in part) in substitution of nor as a supplement to any of the information and/or instructions and/or warnings set out on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet (which is available on request).

Neither of the publisher of this Product Information Sheet or the product(s) manufacturer accepts liability for the failure of any person to observe and follow the information and/or instructions and/or warnings on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet.

Any person selecting and using or causing the product(s) to be used for a specific purpose or any third party recommending the product(s) for a specific purpose without in either case first making all appropriate inquiries as to the suitability of the product(s) for the intended purpose does so at his/her/their own risk and no liability is accepted by the publisher or the product(s) manufacturer for any consequent loss, damage or injury, other than such liability as may not (by operation of law) be excluded.

This Product Information Sheet does not apply to the use of the product(s) in any combination or with other products or materials.

Users of a product or products marked "For Professional Use Only are deemed to declare and acknowledge for themselves professional levels of skill, knowledge, competence and experience in the selection and use of such product(s).

Product Information Sheets are updated from time to time and inquiries should be made on a regular basis to ensure that this is the latest version available.

TETROSYL LIMITED
BEVIS GREEN WORKS
WALMERSLEY
BURY
BL9 6RE
0161 764 5981
0161 797 5899
info@tetrosyl.com