PHILIPS

Xperion 6000 Line

Hand light

300 lm Boost / 150 lm Eco 120 lm Spotlight Battery life: 4.5 h (Eco: 8 h) Durable with broad light beam





X60LINEX1

Designed with you in mind

Advanced lighting performance that lasts

Designed with a 110° broad beam of 150 lm in Eco and 300 lm in Boost mode, the Philips Xperion 6000 Line is ideal for lighting up larger areas. It is equipped with a 120 lm torch beam to direct the light where it is needed.

See where others can't

- $\cdot\,$ Premium LED light with multiple outputs
- Long running time in different light modes

Smart, ergonomic design

- Precision light with wide beam angle
- Smart rotatable hook with magnet and ergonomic body

Handles tough conditions easily

• Resistant to impacts, water and solvents (IP65/IK07)

Extended warranty

• Extend your warranty online to 3 years

Highlights

Multiple light modes



The Philips Xperion 6000 Line produces bright natural LED white light to maximise visual comfort and reduce eye strain for fatigue-free work. The main beam on the Philips Xperion 6000 Line offers two output levels: 150 lm in Eco mode with extended battery life and 300 lm in Boost mode. This flexibility allows you to choose the right amount of brightness for the job at hand.

Light modes for multiple needs



The Philips Xperion 6000 Line is designed to be ready for action. A single charge provides enough energy for a full day's work: up to 8 hours in Eco mode, 4.5 hours in Boost mode and 9 hours with the torch beam. Powered by a powerful Li-ion battery, the Xperion 6000 Line can be fully charged within 3.5 hours via USB-C, ensuring maximum usage of its bright LED light.

Illuminate your work



The Philips Xperion 6000 Line features a 110° beam angle light module ensuring broader illumination of your work area.

Enables hands-free working



Designed with you in mind, the ergonomically shaped handle with an anti-slip coating allows you to hold this work light securely. If you need both hands free for work, position the light securely thanks to the 360° rotatable, retractable hook and a strong magnet. The power button is located on the back to ensure that the light does not glare directly at your eyes when you turn it on.

Designed for resistance



Designed to handle tough work environments with IK07 shock resistance, water-resistant to IP65 standards, and a surface that withstands chemicals and workshop solvents, the Philips Xperion 6000 Line is built to last because we know that even the steadiest hands need the extra support.

Up to 3 years' warranty



Benefit from the Philips standard 2 year warranty plus 1 additional year1

Specifications

Electrical characteristics

Battery capacity: 2200 mAh Battery charging time: Up to 3.5 hours Battery run time (boost): Up to 4.5 hours Battery run time (eco): Up to 8 hours Battery run time (pointer): Up to 9 hours Battery type: Lithium battery Charging cable type: Type C USB Plug type: EU plug Voltage: 3.7 V Wattage: 3 W Power source: Rechargeable battery

Light characteristics

Beam angle: 110 degree Beam angle (pointer): 40 degree Colour temperature: 6000 K Light output (boost): 300 lumens Light output (eco): 150 lumens Light output (pointer): 120 lumens

Marketing specifications

Expected benefits: Designed with you in mind Product highlight: Durable with broad light beam

Ordering information

Order entry: X60LINEX1 Ordering code: 01473331

Outer pack information

Height: 12.5 cm

Length: 33 cm

Packaging Data EAN1: 8719018014733

Width: 23.5 cm

EAN3: 8719018014740

Packed product information

Cable length: 100 cm USB cable, 5 V 1 A adapter Height: 31 cm

Length: 5 cm Pack Quantity / MOQ: 6 Weight with batteries: 382 g

Product description

Hands-free options: Rotatable hook, strong magnet Hook: 360° rotatable Impact protection rating (IK): IK07 Ingress protection rating (IP): IP65 Magnet: 1 magnet Materials and finishing: Robust ABS Operating Temperature: -10°C to 40°C Range: Xperion 6000 Resistant to: Grease, oil, workshop solvents Technology: SMD LED UV leak detector: No

© 2021 Philips Lighting Holding B.V. All Rights reserved.

B.V. or their respective owners.

Issue date 2021-12-13 Version: 3.0.1

12 NC: 8670 001 80379

www.philips.com



Specifications are subject to change without notice. Trademarks are the property of Philips Lighting Holding